

[Sign in](#)



[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

xml tag element attribute "namespace prefix"

[Search](#)

[Advanced Search](#)
[Preferences](#)

Web Results 1 - 10 of about 99,600 for xml tag element attribute "namespace prefix" default w3c. (0.32 sec)

Namespaces in XML

The **namespace prefix**, unless it is **xml** or **xmlns**, must have been declared in a namespace declaration **attribute** in either the start-**tag** of the **element** where ...

www.w3.org/TR/REC-xml-names/ - 48k - [Cached](#) - [Similar pages](#)

XML Information Set (Second Edition)

An **XML** processor must supply the **default** value of **attributes** declared in the DTD for a given **element** type but not appearing in the **element's** start **tag** ...

www.w3.org/TR/xml-infoset/ - 52k - [Cached](#) - [Similar pages](#)

[[More results from www.w3.org](#)]

Namespaces in XML

A.2 **XML** Namespace Partitions: A.3 Expanded **Element** Types and **Attribute** Names ...

Note that **default** namespaces do not apply directly to **attributes**. ...

www.html2text.com/HTML2Text/text114209/TR/REC-xml-names/ - 43k -

[Cached](#) - [Similar pages](#)

XML Namespaces

The **XML** namespace **attribute** is placed in the start **tag** of an **element** and has ... Defining a **default** namespace for an **element** saves us from using prefixes in ...

www.w3schools.com/xml/xml_namespaces.asp - 26k - [Cached](#) - [Similar pages](#)

XML.com: Using W3C XML Schema

An easy-to-read introduction to **XML** Schema, a **W3C XML** language for ... This **element** has **attributes** and non text children, thus we consider it as a ...

www.xml.com/pub/a/2000/11/29/schemas/part1.html - 36k - [Cached](#) - [Similar pages](#)

XML.com: Namespaces and XSLT Stylesheets

... the **XML** processor treats all elements and **attributes** as being in the **default** ... These identify the two namespaces where the **element** and **attribute** names ...

www.xml.com/pub/a/2001/04/04/trxml/index.html - 43k - [Cached](#) - [Similar pages](#)

XML Namespaces

ATTLIST' prefix:**element** prefix:**attribute** type **default**>. Separator line. References and Advanced Readings. **W3C** Namespaces in **XML** Recommendation ...

www.jqjacobs.net/web/xml/xml_namespaces.html - 14k - [Cached](#) - [Similar pages](#)

Ian Stuart's personal web site - XML and Namespaces, a brief ...

This defines foo as the prefix for the namespace for the **element tag**. The **attribute** ...

Attributes that have no **namespace prefix** are not in any namespace. ...

lucas.ucs.ed.ac.uk/tutorials/namespaces/ - 19k - [Cached](#) - [Similar pages](#)

SVG:Namespaces Crash Course - MDC

Note that this isn't the case for **attributes** with a **namespace prefix** (**attributes** that don't belong to the same **XML** dialect as the **tag**). ...

developer.mozilla.org/en/docs/SVG:Namespaces_Crash_Course - 31k -


[Cached](#) - [Similar pages](#)

A Quick Introduction to XML — Portal

Whitespace is used to separate **attributes** from the **tag-name** and each other. ... Note that

the <model> **element** and any children elements with no **default** ...
www.cellml.org/tutorial/xml_guide - 27k - [Cached](#) - [Similar pages](#)

Try your search again on [Google Book Search](#)



xml tag element attribute "namespace prefix" default w3c [Search](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

Refine Search

Search Results -

Terms	Documents
L8 and 715/\$.CCLS.	23

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L8 and 707/\$.CCLS.

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Tuesday, March 14, 2006 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u> side by side	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L11</u>	L8 and 715/\$.CCLS.	23	<u>L11</u>
<u>L10</u>	L8 and 707/\$.CCLS.	118	<u>L10</u>
<u>L9</u>	L8 and 707/\$.CCLS	0	<u>L9</u>
<u>L8</u>	xml same database and stor\$4 same quer\$6 same retriev\$4 and sql and tag and element and attribute and column and path	194	<u>L8</u>
<u>L7</u>	xml same database and stor\$4 same quer\$6 same retriev\$4 and sql and tag and element and attribute and column	279	<u>L7</u>
<u>L6</u>	xml same database and stor\$4 same quer\$6 same retriev\$4 and sql and tag and element and attribute	366	<u>L6</u>
<u>L5</u>	xml same database and stor\$4 same quer\$6 same retriev\$4 and sql and tag	478	<u>L5</u>
<u>L4</u>	xml same database and stor\$4 same quer\$6 same retriev\$4 and sql	892	<u>L4</u>
<u>L3</u>	xml same database and stor\$4 same quer\$6 same retriev\$4	1356	<u>L3</u>
<u>L2</u>	xml same database and quer\$6 and retriev\$4	4708	<u>L2</u>

L1 xml and database and quer\$6

12229 L1

END OF SEARCH HISTORY